

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1354	cache\$1 near15 broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 17:32
L2	198	cache\$1 near15 stor\$4 near10 broadcast\$4 near10 (data or content)and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 15:14
L3	2	gateway near15 cache\$1 near15 stor\$4 near10 broadcast\$4 near10 (data or content)and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 15:25
L4	2	gateway near15 cache\$1 near15 stor\$4 near10 broadcast\$4 near10 (data or content)and cache and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 15:18
L5	194	cache\$1 near15 stor\$4 near10 broadcast\$4 near10 (data or content)and cache and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 15:18
L6	112	cache\$1 near5 stor\$4 near10 broadcast\$4 near10 (data or content)and cache and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 15:22
L7	5	cache\$1 near5 stor\$4 near10 broadcast\$4 near10 (data or content)and cache and (@ad<"20011026" or @rlad<"20011026") and gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 15:18
L8	112	cache\$1 near5 stor\$4 near10 broadcast\$4 near10 (data or content)and cache and (@ad<"20011026" or @rlad<"20011026") and broadcast\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 15:22

EAST Search History

L9	43	cache\$1 near5 stor\$4 near10 broadcast\$4 near10 (data or content)and cache and (@ad<"20011026" or @rlad<"20011026") and broadcast\$4.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 15:22
L10	2	gateway near15 (cache\$1 or caching) near10 broadcast\$4 near10 (data or content)and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 15:26
L11	232	gateway near15 (cache\$1 or caching) near10 (data or content)and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 15:26
L12	50	gateway near15 (cache\$1 or caching) near10 (data or content)and gateway near15 broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 16:15
L13	1	"7065058".pn. and gateway near15 (cache\$1 or caching) near10 (data or content)and gateway near15 broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 16:16
L14	1	"7130616".pn. and gateway near15 (cache\$1 or caching) near10 (data or content)and gateway near15 broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 16:23
L15	1	"6959436".pn. and protocol\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 16:28
L16	1	"6879808".pn. and protocol\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 16:29

EAST Search History

L17	0	"6879808".pn. and (wap or http) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 16:29
L18	0	"6879808".pn. and (ppp) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 16:30
L19	0	"20020174269" and protocol\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 16:30
L20	0	"20020174269" and (wap or ppp or http) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 16:30
L21	0	"6829475".pn. and (wap or ppp or http) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 16:31
L22	1	"6829475".pn. and protocol\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 16:33
L23	710	gateway near15 broadcast\$4 and protocol\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 16:33
L24	358	gateway near15 broadcast\$4 and gateway near15 protocol\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 16:33

EAST Search History

L25	72	gateway near15 broadcast\$4 and gateway near15 protocol\$1 same (wap or http or ppp) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 16:34
L26	15	gateway near15 broadcast\$4 near15 (content\$1 or data) and gateway near15 protocol\$1 same (wap or http or ppp) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 16:40
L27	24	gateway near15 broadcast\$4 near15 (content\$1 or data) and gateway near15 (wap or http or ppp) and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 16:40
L28	15	gateway near15 broadcast\$4 near15 (content\$1 or data) and gateway near15 (wap or http or ppp) and (@ad<"20011026" or @rlad<"20011026") not I26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 16:44
L29	770	gateway near15 (wap or http or ppp) near15 network\$1 and (@ad<"20011026" or @rlad<"20011026") not I26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 16:44
L30	12	gateway near15 (wap or http or ppp) near15 external near network\$1 and (@ad<"20011026" or @rlad<"20011026") not I26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 16:46
L31	770	gateway near15 (wap or http or ppp) near15 network\$1 and (@ad<"20011026" or @rlad<"20011026") not I26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 16:46
L32	163851	gateway near15 (wap or http or ppp) near15 internet or broadcast\$4 and (@ad<"20011026" or @rlad<"20011026") not I26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 16:47

EAST Search History

L33	674	gateway near15 (wap or http or ppp) near15 (internet or broadcast\$4) and (@ad<"20011026" or @rlad<"20011026") not l26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 16:47
L34	15	gateway near15 (wap or http or ppp) near15 (internet or broadcast\$4) and (@ad<"20011026" or @rlad<"20011026") and gateway near15 broadcast\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 16:48
L35	86	gateway near15 (wap or http or ppp) and (@ad<"20011026" or @rlad<"20011026") and gateway near15 broadcast\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 16:58
L36	28	gateway near15 dns and (@ad<"20011026" or @rlad<"20011026") and gateway near15 broadcast\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 17:01
L37	359	gateway near15 dns and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 17:01
L38	359	gateway near15 dns and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 17:02
L39	243	gateway near5 dns and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 17:04
L40	2	gateway and "7065058".pn. and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 17:05

EAST Search History

L41	1	gateway near15 ident\$5 and "7065058".pn. and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 17:09
L42	151	gateway near15 database same addresses and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 17:09
L43	43	gateway near15 database same addresses near15 server\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 17:12
L44	301	gateway near15 addresses near15 server\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 17:12
L45	19	gateway near15 stor\$4 near15 addresses near15 server\$1 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 17:14
L46	16516	gateway near15 stor\$4 dns and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 17:15
L47	22	gateway near15 stor\$4 near15 dns and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 17:16
L48	22	gateway near15 stor\$4 near15 dns and (@ad<"20011026" or @rlad<"20011026") and dns	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 17:20

EAST Search History

L49	3	gateway near15 stor\$4 near15 dns and (@ad<"20011026" or @rlad<"20011026") and dns near proxy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 17:23
L50	9	gateway near5 dns and (@ad<"20011026" or @rlad<"20011026") and dns near proxy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 17:32
L51	888	gateway near15 broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 17:32
L52	5545	709/203.ccls. and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 17:32
L53	32	709/203.ccls. and gateway near15 broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 17:33
L54	0	455/407.ccls. and gateway near15 broadcast\$4 and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 17:33
L55	200	455/407.ccls. and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 17:33
L56	648	700/94.ccls. and (@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 17:33

EAST Search History

L57	0	700/94.ccls. and gateway near15 broadcast\$4 and(@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 17:33
L58	3	700/94.ccls. and iboc near15 broadcast\$4 and(@ad<"20011026" or @rlad<"20011026")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 17:33